

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	8	L2 and (ECC same boundary same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:00
S62	2	S60 and (ECC same boundary same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:59
L2	7697	(714/700,707,731,768,769,770,775,776,788,798 369/126,275.1,275.3,275.4).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:58
S59	1988	(714/700,707,731,768,769,770,775,776,788,798).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 14:56
S64	53	(ECC same boundary same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:14
S63	7	(ECC same "block boundary" same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:13
S61	2	S60 and(ECC same boundary same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:08
S60	1988	(714/700,707,731,768,769,770,775,776,788,798).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:08
S51	49	(ECC same boundary same phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:08

S58	1	(mono near2 (multi-pulse "multiple pulse")) and ECC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:05
S57	0	(mono near2 (multi-pluse "multiple pulse")) and ECC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 12:05
S56	2	"4673937".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 11:32
S55	3	S54 not S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 17:03
S54	30	((ECC same boundary same phase) and (interrupt\$3 halt\$3 suspend\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 17:03
S53	27	(ECC same boundary same phase) and interrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 17:01
S52	6	S51 same (encod\$3 near4 block)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 16:38
S50	2	(ECC near boundary near phase)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/04 16:38
S48	17	(((((block or frame) near4 boundary) or (link linking)) same (ECC "error correction code")) and (detect\$3 near5 phase) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 18:13

S2	1	S1 and (((block or frame) near4 boundary) or (link linking)) same (ECC "error correction code")) and (detect\$3 near5 phase) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 18:13
S43	0	((714/768,769,770,775,776).ccls.) and ((((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code")))) and (detect\$3 near5 (circuit device block logic))) and ((boundary window) near5 (signal pattern))) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 18:12
S1	1724	(714/700,707,731,768,769,770,775,776,788,798).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 18:12
S41	824	(714/768,769,770,775,776).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/06 18:11
S49	3	"6404713".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:56
S47	274	(detect\$3 near5 phase) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:46
S38	7	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code")))) and (detect\$3 near5 (circuit device block logic))) and ((boundary window) near5 (signal pattern))) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:46
S46	758	((block or frame) near4 boundary) or (link linking)) same (ECC "error correction code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:44
S45	20098	((block or frame) near4 boundary) or (link linking) and (ECC "error correction code")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/05 10:44

S44	0	((714/768,769,770,775,776).cccls.) and (ECC "error correction code") and (detect\$3 near5 (circuit device block logic)) and ((boundary window) near5 (signal pattern)) and (LPP ADIP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:28
S42	5	((714/768,769,770,775,776).cccls.) and (frame near4 delineat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:23
S8	57	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))) and (detect\$3 near5 (circuit device block logic))) and ((boundary window) near5 (signal pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/04 09:19
S40	1	"6217970".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 14:06
S39	1	"6285823".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 14:05
S37	1	"5473478".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 13:50
S36	1	"5677981".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 13:50
S35	5	block near2 boundary near3 violation near4 detect\$3 near3 apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:42
S34	3746850	block near2 boundary near3 violation near4 detect\$3 apparatus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:41
S30	1	PCT/JP88/01201.PCT.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:40
S33	1	"4623993".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 13:27
S32	1	"4796247".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 13:27
S31	1	"4841513".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 13:26

S29	1	"RESYNC pattern matching circuit 1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:23
S27	0	JP-4132431\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:08
S28	0	JP-19900254801\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:07
S5	14	((disk near4 record\$3 near4 (apparatus device system)) and ((DVD CD) near4 (R RW))) same (ECC "error correction code"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 13:06
S26	1	"4819236".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:29
S25	1	"5222086".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:29
S24	1	"5224087".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:28
S23	1	"5243588".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:28
S22	1	"5408478".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:28
S21	1	"6195325".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:27
S20	1	"6269069".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:27
S19	1	"5442499".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:26
S18	1	"5452284".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:26
S17	1	"5508985".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:25
S16	1	"5815486".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:24
S15	1	"5991257".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:23
S14	1	"6067281".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:20
S13	1	"6195325".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:20

S12	1	"6269069".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:19
S11	1	"6335911".PN.	US-PGPUB; USPAT	OR	ON	2004/07/30 12:19
S10	9	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))) and (detect\$3 near5 (circuit device block logic))) and ((boundary window) near5 (signal pattern))) and (block near4 (boundary window) near5 (signal pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:16
S9	9	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))) and (detect\$3 near5 (circuit device block logic))) and (block near4 (boundary window) near5 (signal pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:16
S7	66	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))) and ((boundary window) near5 (signal pattern))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:15
S6	425	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))) and (detect\$3 near5 (circuit device block logic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:13
S4	742	(((((disk near4 record\$3 near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 12:12
S3	544	(((((disk near4 recording near4 (apparatus device system)) or ((DVD CD) near4 (R RW))) same (ECC "error correction code"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/30 11:55

Google™ [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)  
[Preferences](#)

**Web**

Results 1 - 2 of 2 for **"mono multi-pulse"**. (1.05 seconds)


Tip: Try removing quotes from your search to get more results.

[EP1227487 Samsung european software patent - Method for detecting ...](#)

EP1227487 Samsung electronics co ltd (KR): Method for detecting violation of block boundary and apparatus therefor Verfahren zur detektion der verletzung ...  
gauss.ffii.org/PatentView/EP1227487 - Supplemental Result - [Similar pages](#)

[Automotive collision avoidance and/or air bag deployment radar ...](#)

A Doppler radar system for A vehicle providing driver warning, vehicle brake application and air bag deployment. The system produces voltage level input ...  
xrint.com/patents/us/4673937 - Supplemental Result - [Similar pages](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google